

tables:out

TB OU 60H

: product card



Tables made of steel, gal-vanised and powder-coated, which makes them resistant to outdoor conditions. Despite their light form, the tables are solid and stable.

design:
Scagnellato & Ferrarese

Product website
[website link](#)



bejot:

collection advantages

To the garden

These tables are made of steel, galvanized and powder coated with polyester. Thanks to this finish, the tables can be used outside e.g. in caf gardens.

For the Split collection

They come in two heights and two sizes of tops, in 4 color variants: cream, burgundy, black and dark green. They look great with the Split collection. They can be stacked horizontally without any quantity restrictions.

technical data

TB OU 60H

Standard ●
Option ○

Base	CODE
Foldable table completely made of steel, round top in steel plate and frame in steel tube with 25 mm diameter. Zinc-coated and powder coated with polyester (colors: black, cream, burgundy, dark green)	●
Feet	CODE
Universal feet, black	●

dimensions
TB OU 60H



- | | | |
|--|---|---|
| B seat height: measured according to the norm
PN EN 1335-1 with a load of 640N | F dimensional width chair / base | K height from the floor to the armrest |
| C chair height adjustment | G seat width | L backrest lenght |
| D backrest height adjustment | H backrest width | M dimensional chair depth |
| | | N seat depth adjustment / seat lenght |

All dimensions are in [mm] and refer to basic version products. The indicated dimensions can change depending on the selected equipment package. Bejot reserves the right to change selected elements and this may slightly affect the product's dimensions. In case of any special requirements on dimensions of a given product, the afore-mentioned information should be acknowledged by the Producer. The specification does not constitute an offer within the meaning of the Civil Code. Dimensions and weights are approximate and may vary by 5%. The requirements of the standard are always met.

materials available for collection

Metal

Stoliki OUT

