fora_care

: product card



fora_care

design: Kasper Mose

models



base

RAL 9003S

Powder-coated metal frame (structure).

RAL 7024S







additional colors



• Standard, freestanding construction

RAL 9005S




o **FM** Floor-mountable construction

seats




FC F Full, undivided one-, two-, and three-seater








FC S
Divided seat,
two- and three-seater





feet (not available for floor-mounted base - FM)



• **TK** feet for soft floor



o **TF** felt feet for hard floor

mediaport



R[type]1V

round PIX mediaport (black-B) – 1 voltage socket 230 V The type of electrification should be specified for mediaports: type E – Poland, France type F – Germany type G – United Kingdom





RM1CC

round PIX mediaport (black-B) – 2 x USB charger

possibilities of placing mediaports







max. 1 mediaport

FCF 100, FCF 401

max. 2 mediaports
FCF 200, FCS 200, FCF 300, FCS 300, FCF 4X2, FCF 4X3, FCS 4X2, FCS 4X3

armrests mounted on the edge of the sofa

(only available for models with a backrest, excluding model FC F 401)



o FC A OUT

armrest mounted on the edge of the sofa (powder coated in the color of the base + natural oak wood pad - clear varnish)

Can be mounted on both sofas with a split and a full seat (FC S and FC F).



armrest mounted on the edge of the sofa (upholstered).

Can be mounted on both sofas with a split and a full seat (FC S and FC F).

armrests mounted between the seats

(only available for versions with backrest)




o FC A IN


Armrest mounted between the seats (powder coated in the color of the base + natural oak wood pad - clear varnish).

Armrests FC A IN can only be mounted on sofas with a split seat FC S.


Upholstered armrests cannot be combined with powder coated armrests with a wooden overlay.











models | coffee tables



tabletop

laminated board



















finger joint solid oak (option)



edge of the countertop



countertop with a straight edge

applies to countertops made of laminated board



countertop with a bottom radius edge (R16)

applies to countertops made of finger joint solid oak

table mounted between the seats



table mounted between the seats, dla modeli dwu- i trzyosobowych

- o FC TB SDL table with top made of laminated board
- o FC TB SDO table with top made of finger joint solid oak

connectors and tops



FC L1 sofa connector (powder-coated construction)



sofa connector with armrest (powder-coated construction, natural wood overlay (oak) – clear lacquer)



FC L1 SD

sofa connector with round table (Ø320 mm) (powder--coated construction, top made of laminated board or oak blockboard)



FC L2 TB


FC L1 A

sofa connector with top (305x685 mm) (powder--coated construction, top made of laminated board or oak blockboard)



FC L2 TB E

side-mounted sofa table (305x685 mm) (powder-coated construction, top made of laminated board or oak blockboard). The top can only be mounted on sets with a minimum of 4 seats.



FC L3 TB

sofa connector with top (650x650 mm) (powder--coated construction, top made of laminated board or oak blockboard)



FC LC TB IN

sofa connector with top (685x685 mm) connecting sofas at a 90° angle facing each other (powder--coated construction, top made of laminated board or oak blockboard)



FC LC TB OUT

sofa connector with top (685x685 mm) connecting sofas at a 90° angle back--to-back (powder-coated construction, top made of laminated board or oak blockboard)



FC LC TB IN



FC LC TB OUT



FC L2 TB E




FC L3 TB

back walls



FC SC 1
Acoustic panel connecting two single sofas



Acoustic panel connecting two two-seater sofas

FC SC 2



acoustic walls available only between two sofas with backrests



FC SC 3
Acoustic panel connecting two three-seater sofas



2 x FC F 401 + FS SC 1



2 x FC S 402 + FS SC 2



2 x FCS 403 + FS SC 3

seat upholstery configuration




possibilities of using fabrics in individual products

1 grp.	2 grp.	3 grp.	4 grp.	5 grp.
fenno	alpa	ally	heritage SD	steelcut trio SD
	charles	ally SD	remix SD	
	charles SD	cura SD		
	cura	blazer		
	pastel	easy		
	roccia	oceanic		
	valencia	silvertex		
		silvertex SD		
		synergy		
		synergy SD		
		valencia SD		

For easy cleaning, we recommend **valencia** and **silvertex** fabrics.


recycling

97% of the materials used in the FC S 402 + 2 x FC A OUT model can be recycled.



material composition

Percentage by mass of each raw material in model FC S 402 + 2 x FC A OUT



technical data


All dimensions are in inches and refer to basic version products. The indicated dimensions can change depending on the selected equipment package. Bejot reserves the right to change selected elements and this may slightly affect the product's dimensions. In case of any special requirements on dimensions of a given product, the afore-mentioned information should be acknowledged by the Producer.

The specification does not constitute an offer within the meaning of the $\mbox{\sc Civil}$ Code.

Dimensions and weights are approximate and may vary by 5%. The data is given for the basic configuration of products. The requirements of the standard are always met.


- A seat height: overall dimensions
- B seat height: measured according to the norm PN EN 1335-1 with a load of 640N
- C chair height: overall dimensions
- D backrest height
- F chair width: overall dimensions
- G seat width
- H backrest width
- K height from the floor to the armrest
- M chair depth: overall dimensions
- N seat depth / seat length

FC F 100



FC F 200


9









FC F 300



FC S 200











FC F 401






FC F 402




FC F 403









FC F 423



FC S 422




FC S 423




12

bejot:


FC S 402



FC S 423



FC SC 1 / FC SC 2 / FC SC 3




net 1 kg



H: 40 W:400 L: 400

net 2,5 kg

FC L1




FC L1 A



H: 50 W:50 L: 400


net 2 kg

FC L1 SD



FC L1


7




FC L1 A




FR TB 65A



FR TB 80








net 13,5 gross 15,5

FR TB 65A





H: 400 | 1 szt. W: 810 | St. L: 810 | pc.

kg\

net 11 gross 13



net 15 gross 17,5